



Usage Guideline

ASX - AU - Austraclear SWIFT Messaging - V1 - 598_Response to MT 5xx Messages (SMT 102, SMT103)

ASX - AU - Austraclear SWIFT Messaging -
2020_migrated

This document describes a usage guideline restricting the base message MTn98 (SR 2020)
.You can also consult this [information online](#).

Published by ASX and generated by [MyStandards](#).

28 May 2020

| | |
|------------------------------|----------|
| Table of Content | 2 |
| Message Functionality | 3 |
| About this document | 4 |
| Usage Guideline | 5 |
| Legal Notices | 6 |

Message Functionality

Collection Description

ASX - AU - Austraclear SWIFT Messaging - 2020_migrated ([link](#))

Usage Guideline Description

ASX - AU - Austraclear SWIFT Messaging - V1 - 598_Response to MT 5xx Messages (SMT 102, SMT103) ([link](#))

Outline

The ASX - AU - Austraclear SWIFT Messaging - V1 - 598_Response to MT 5xx Messages (SMT 102, SMT103) message is composed of 3 building blocks

a - 20 Transaction Reference Number

This field specifies the reference assigned by the Sender to unambiguously identify the message.

b - 12 Sub-Message Type

This field is used to specify the message type number, as agreed by the Sender and Receiver, or as defined by SWIFT (for messages being used in advance of implementation), for the proprietary message contained in the MT n98.

c - 77E Proprietary Message

This field is used to convey the message contents in a format agreed to by the Sender and the Receiver.

About this document

Legend

| Abbreviation | Term | Description |
|--------------|--------------------|---|
| X | Excluded | An optional field or element must not be populated. |
| I | Ignored | A field or element could be populated but is ignored by the receiver. |
| [x..y] | Multiplicity | A field or element multiplicity has changed. |
| FV | Fixed Value | A field or element must contain a given value. |
| T/C | Type / Code Change | A user-defined datatype replaces an existing simple datatype. |
| A | Element Added | A field or element has been added. |

| Header | Description |
|--------------------|-----------------------------------|
| LvL | Element nesting in tree hierarchy |
| Name | Element name |
| Mult | Element multiplicity |
| Type / Code | Element formatting |
| Rest | Restriction type |
| Additional details | Other restriction specifics |

| Type/Code Notation | Describes the Element | Examples |
|------------------------|---|--------------------------------|
| text{m,M} | minimum (m) and maximum (M) length | text{1,35} |
| text{L} | maximum (L) length, minimum length is 0 | test{10} |
| m <= decimal <= M | minimum (m) and maximum (M) values | 0.01 <= decimal <= 9999.99 |
| fd = F, td = T | maximum fractional (F) and total (T) number of digits | fd = 2, td = 11 |
| <<regular expression>> | regular expression pattern | [A-Z]{6,6}([A-Z0-9]{3,3}){0,1} |

| Lvl | Name | Mult | Type / Code | Restr | Additional details |
|-----|----------------------------------|--------|-------------|-------|---|
| 0 | n98 Proprietary Message (SR2020) | | | | |
| 1 | 20 Transaction Reference Number | [1..1] | 16x | | Comment: Sender's Reference This will be a unique ASX SWIFT Gateway Sequence Number. |
| 2 | 20 | | 16x | | |
| 3 | 20null | [1..1] | | | |
| 1 | 12 Sub-Message Type | [1..1] | 3!n | | Comment: "102" = Optional Positive confirmation of message processed "103" = Mandatory Negative confirmation of message processed |
| 2 | 12 | | 3!n | | |
| 3 | 12null | [1..1] | | | |
| 1 | 77E Proprietary Message | [1..1] | 73z[n*78z] | | Comment: Blank, a SWIFT mandatory field |
| 2 | 77E | | 73z[n*78z] | | |
| 3 | Text1 | [1..1] | 73z | | |
| 3 | Text2 | [0..1] | n*78z | | |
| 4 | Line | [1..*] | 78z | | |

Legal Notices

Copyright

SWIFT SCRL © 2020. All rights reserved.

This material is a component of MyStandards, the SWIFT collaborative Web application used to manage standards definitions and industry usage. It can only be used and distributed in accordance with MyStandards Terms of Use.

Unless otherwise agreed in writing with SWIFT SCRL, you have no right to:

- authorise external end users to use this component for other purposes than their internal use.
- remove, alter, cover, obfuscate or cancel from view any copyright or other proprietary rights notices appearing in this physical medium.
- re-sell or authorise another party e.g. software and service providers, to re-sell this component.

Confidentiality

This publication may contain SWIFT or third-party confidential information. Only disclose it outside your organisation in accordance with MyStandards Terms of Use and your related license rights.

This component is provided 'AS IS'. SWIFT does not give and excludes any express or implied warranties with respect to this component such as but not limited to any guarantee as to its quality, supply or availability.

Any and all rights, including title, ownership rights, copyright, trademark, patents, and any other intellectual property rights of whatever nature in this component will remain the exclusive property of SWIFT or its licensors.

Trademarks and Patents

SWIFT is the trade name of S.W.I.F.T. SCRL. The following are registered trademarks of SWIFT:

SWIFT, the SWIFT logo, 3SKey, Innotribe, Sibos, SWIFTNet, MyStandards, SWIFTReady, and Accord. Other product, service, or company names in this publication are trade names, trademarks, or registered trademarks of their respective owners..