



ASX Austraclear

New Web Launcher Installation Guide

Oct 2012

Information provided is for educational purposes and does not constitute financial product advice. You should obtain independent advice from an Australian financial services licensee before making any financial decisions. Although ASX Limited ABN 98 008 624 691 and its related bodies corporate (“ASX”) has made every effort to ensure the accuracy of the information as at the date of publication, ASX does not give any warranty or representation as to the accuracy, reliability or completeness of the information. To the extent permitted by law, ASX and its employees, officers and contractors shall not be liable for any loss or damage arising in any way (including by way of negligence) from or in connection with any information provided or omitted or from any one acting or refraining to act in reliance on this information. This document is not a substitute for the Operating Rules of the relevant ASX entity and in the case of any inconsistency, the Operating Rules prevail.

© Copyright 2007 ASX Limited ABN 98 008 624 691. All rights reserved 2007.

ASX Limited
ABN 98 008 624 691

20 Bridge Street, Sydney NSW 2000
PO Box H224
Australia Square NSW 1215

Telephone: +61 2 9227 0000
Facsimile: +61 2 9227 0859
Email: info@asx.com.au

Updated: Oct 2012
Version: 3.0



Contents

Background.....	4
What is a 'WebLauncher' and what does it do?	5
COMPARISON between the OLD and NEW WEBLAUNCHER.....	6
INSTALLATION PROCEDURE.....	10
FAQ.....	15

Background

This document describes how the new version of Web launcher will look like during the transition from Release 3.0 to Release 3.1. Although it is not mandatory, it is highly recommended that the new version of the Web launcher will be installed prior to Go-Live of Austraclear Release 3.1. In the new Web launcher, you are no longer require to type the user name and password, however, Client Side Digital Certificate is still a requirement.

The requirement for Web launcher is only applicable to those users who use Browser Deployment method.

This document also shows the installation procedure of the new Web launcher.

What is a 'Web Launcher' and what does it do?

The web launcher is only used in the Browser Deployment model, and is responsible for performing the deployment and providing feedback to the user in terms of a progress bar and details of each activity it performs. If an application download is required (in this case if it found a new version of the client), it will also indicate the size of that download. Once the application is downloaded to the client PC, the web launcher will launch the application. A splash page will be displayed followed by the login prompt.

COMPARISON between the OLD and NEW WEBLAUNCHER

A) Current version of WEBLAUNCHER

Web launcher login requirements:

USER name
Password
Client Side Digital Certificate

If require

PROXY SEVER user name/password and DOMAIN




Then:

EXIGO Client login requirements

User name (remembered from web launcher user's login)
Password (remembered from web launcher user's login)
Client Side Digital Certificate (remembered from web launcher user's login)

If require:

RSA token
PROX SEVER user name/password and DOMAIN




B) New Web launcher Installed prior to Release 3.1 Go-Live

NEW Web launcher login requirements:

Client Side Digital Certificate

If require:

PROXY SEVER user name/password and DOMAIN



Then:

EXIGO Client login requirements

User name (you must type in)


Password (you must type in)

Client Side Digital Certificate (remembered from web launcher screen)

If require:

RSA token

PROX SEVER user name/password and DOMAIN



C) New Web launcher with Release 3.1

NEW Web launcher login requirements:

Client Side Digital Certificate

If require:

PROXY SEVER user name/password and DOMAIN



Then:

EXIGO Client login requirements

User name (you must type in)


Password (you must type in)

Client Side Digital Certificate (remembered from web launcher screen)

If require:

RSA token

PROXY SEVER user name/password and DOMAIN



D) Old Web launcher version with Release 3.1

Web launcher login requirements:

USER name:
Password:
Client Side Digital Certificate

If require:

PROXY SEVER user name/password and DOMAIN

Then:

EXIGO Client login requirements

User name (remembered from web launcher user's login)
Password (remembered from web launcher user's login)
Client Side Digital Certificate (remembered from web launcher user's login)

If require:


RSA token
PROXY SEVER user name/password and DOMAIN

INSTALLATION PROCEDURE


1. Uninstall Instructions

It is recommended that you uninstall any previous version 2.18 of the EXIGO CSD Web Launcher Software prior to installing the latest software version R1394. If you already have version R1394 installed, please close this document, unless you are re-installing version R1394 again.

1. To uninstall the EXIGO CSD WebLauncher Software, go to *Control Panel* and click on *Programs and Features*. Choose *EXIGO CSD Web Launcher R1394* and then click **Uninstall**.



2. To confirm uninstall is complete: (**NOTE – To do the following, you are require to install the .NET 2.0 SDK (X86) version from Microsoft <http://www.microsoft.com/download/en/details.aspx?displaylang=en&id=19988>**)
 - I. At *Start->Microsoft .Net Framework SDK v2.0-SDK Command Prompt*, type **mscorcfg.msc**
 - II. Runtime Security Policy / Machine / Code Groups / All_Code.
 - III. EXIGO CSD should not appear in the dropdown list.



2. Installation of New WebLauncher Software

NOTE: To install the new Web Launcher, Administrative rights to the PC are required. The installation may need to be completed by the appropriate IT/PC support staff.

1. The New WebLauncher is available on the ASX Austraclear website:
<https://asx.austraclear.com.au/> for the Production Environment or
https://asxta.austraclear.com.au for the Test Environment.

Click on *Download Web Launcher*


2. Click on Save, and save the Web Launcher Installation to a suitable directory e.g. C:\Temp or your Desktop. (DO NOT click Open rather than Save)
3. A Download Complete Box advising that the software has been successfully saved will appear, click on Open and the EXIGO CSD WebLauncher Setup Wizard appears, click Next.




4. You are able to specify the location in which the WebLauncher is saved. The default is:
C:\Program Files (x86)\NASDAQ OMX\EXIGO Web Launcher\
Install WebLauncher for everyone who uses the computer – **click “Everyone”**
Click on “Next”. The EXIGO CSD WebLauncher will commence installation.



5. When the installation is complete, click close to exit.



6. To confirm that the EXIGO CSD WebLauncher has been installed, you can do one of the following:
 - a. *Control Panel* and click on **Programs->Programs and Features**
EXIGO CSD WebLauncherR1394 should be listed under *Currently installed programs*
 - b. At **Start->Microsoft .Net Framework SDK v2.0-SDK Command Prompt**, type **mscorcfg.msc**
 Runtime Security Policy / Machine / Code Groups / All_Code.
 EXIGO CSD should not appear in the dropdown list.



- c. Confirm that EXIGO CSD WebLauncher folder has been created.
 C:\Program Files (x86)\NASDAQ OMX\EXIGO Web Launcher

FAQ

- 1) Does the new web launcher work with the current version of EXIGO (the version prior to Release 3.1)?

Answer: Yes it will work; see Item B above under 'Comparison between Old and New Web launcher'

- 2) Does the new Web launcher will work if I am running Windows XP?

Answer: Yes, It is compatible with Windows XP.

- 3) Does the new web launcher can be installed whilst the old version still installed in the machine?

Answer: No. Only one web launcher version is allowed to be installed per PC.

- 4) Is it mandatory for a user to upgrade the version of Web launcher?

Answer: It is not mandatory; however, it is highly recommended that the new version of the Web launcher will be installed prior to Go live of Austraclear Release 3.1.