

Contents

Introduction	2
PC Infrastructure	3
Deployment (File and Browser)	6

Introduction

This document provides installation instructions for SR20 Web Launcher that accompanies ASX Austraclear Service Release 20 (SR20). Installation of Web Launcher is mandatory and it must be performed prior to the Austraclear SR20 Go-Live if the Browser Deployment method is used.

Web Launcher 2.28.7 refers to the installation file called EWL_2_28_7.msi that will be available for download on the ASX Austraclear Release 5 login web page.

The msi file requires a **minimum of .NET 4.8 framework to be installed as a prerequisite, otherwise installation will not complete.**

Web Launcher 2.28.7 refers to the installation file called EWL_2_28_7.msi.

What is the Web Launcher

The Web Launcher is a software component that is installed as part of the Browser Deployment model for ASX Austraclear. It allows the user to launch the ASX Austraclear GUIs using a “one click” method by clicking on the link on the ASX Austraclear web page.

It installs client applications and provides progress feedback as each installation task is completed. If a new version of a client application is available, the Web Launcher will initiate its download and indicate the size of the file being downloaded. Once the client application has been downloaded, the Web Launcher will launch the application. A splash page will be displayed followed by the login prompt.

PC Infrastructure

Web Launcher 2.28.7

Pre-Requisite


A minimum of .NET 4.8 framework must be installed as a prerequisite, otherwise installation will not complete.

To check if your PC has 4.8 please run the compatibility checker. This checker can be downloaded from EXIGO webpage:

Support: Download Weblauncher
Client Compatibility Checker
ASX Austraclear System Status

Once Run, an output under Section .NET Runtime Version

Current should be displayed as: 4.8



If not, please contact your IT support to install at least .NET 4.8 as a minimum

Web Launcher login requirements:

- Client Side Digital Certificate
(Username and password not required)

If required:

- PROXY SERVER user name/password and DOMAIN

**EXIGO Client login requirements**

- User name (you must type in)
- Password (you must type in)
- Client Side Digital Certificate (remembered from web launcher user's login)

If required:

- RSA token
- PROXY SEVER user name/password and DOMAIN

Austraclear EXIGO

ASX Austraclear

Username:

Password:

Certificate:

⤴ Log on Cancel

Authentication

Passcode:

Proxy server settings

Username:

Password:

Domain:

ASX Austraclear Release 5 Testbed A

Installation Procedure

Deployment (File and Browser)

1. Uninstalling Previous Web Launcher versions

It is important that you uninstall the 2.24.0 version or any version of the Web Launcher Software prior to installing the latest software version of the PC are given to the user performing the installation.2.28.7. Please ensure that local administrative rights

2. Installing WebLauncher 2.28.7

NOTE: To install WebLauncher 2.28.7, Administrative rights to the PC are required. The installation may need to be completed by the appropriate IT/PC support staff.


1. Web Launcher 2.28.7 is available on the ASX Austraclear Release 5 website:
<https://asx.austraclear.com.au/Release5/> for the Production Environment from Saturday after go Live or
<https://asxta.austraclear.com.au/Release5/> for the Test Environment.

Click on *Download Web Launcher*


2. Click on Save, and save the Web Launcher Installation to a suitable directory e.g. C:\Temp or your Desktop. (DO NOT click Open rather than Save)
1. A Download Complete Box advising that the software has been successfully saved will appear, click on Open and the EXIGO CSD Web Launcher Setup Wizard appears, click Next.
- 2.



3. You are able to specify the location in which the WebLauncher is saved. The default is: C:\Program Files (x86)\ASX\EXIGO\WebLauncher




Installation must be performed by a local administrator of the machine. If you get prompted by User Account Control, then enter in the local administrator credentials.



Installation will proceed.

At this point, if your PC does not have .Net framework 4.8 installed, then the installer will prompt you to install it. .Net framework 4.8 is required to use Weblauncher 2.28.7




4. When the installation is complete, click Finish to exit.

5. To confirm that the EXIGO CSD WebLauncher has been installed, you can do one of the following:

a. Control Panel ->Apps and Features

EXIGO WebLauncher v2.28.7 should be listed under Apps & Feature



b. Confirm that EXIGO CSD WebLauncher folder has been created. C:\Program Files (x86)\ASX\EXIGO\WebLauncher